

41 Series Bathroom Phones



41 Series Features:

- **Water Resistant** – Water resistant, splash-proof designs
- **Backlit Keypads** – Backlit keypad (membrane and rubber keypad models only)
- **No Hook-Switch** - No hook switch to prevent water ingress
- **LCD Clock** – Accurate digital time display (“K” models only)
- **Easy Message Retrieval™** - Message Waiting Light, button and Ringer Indicator
- **Single and Two Line Phones**

"T-5" Models



41Series T5 1-Line Phone with LCD Clock
(HA48C++TSD-5S)



41 Series T5 1-Line Phone with Membrane Keypad
48C++TSD-5S SIP)

T-5 Features:

- **Membrane Keypad** – smooth, water resistant, touch sensitive membrane dial pad (41T5+ and 41T5+K only)
- **Water Resistant** – Water resistant, splash-proof design
- **Backlit Keypad** – Backlit keypad (membrane keypad models only)
- **No Hook-Switch** - No hook switch to prevent water ingress
- **LCD Clock** – Accurate digital time display (41T5+K only)
- **Easy Message Retrieval™** - Message Waiting Light, button and Ringer Indicator
- **Single Line Phone**
- Flash, Pause, Redial, Hold, Tone buttons
- Desk and Wall Mountable

Models Available:

T5	
HA41T-5	Single Line Trimline Phone for the Bathroom with No Hook switch, Message Waiting Light, Hold, Redial, Flash and Pause.
HA41T-5+	Single Line Trimline Phone for the Bathroom with Membrane Keypad, No Hookswitch, Backlit Keypad, Message Waiting Light, Hold, Redial, Flash and Pause.
HA41T-5+K	Single Line Trimline Phone for the Bathroom with LCD Clock, Membrane Keypad, No Hookswitch, Backlit Keypad, Message Waiting Light, Hold, Redial, Flash and Pause.
HA41T-5+-1S	Single Line Trimline Phone with No Dialpad, One Backlit Membrane Guest Service Button, and Message Waiting Light.

“T-T” Models



41Series T-T 2-Line Phone with standard keypad
(HA41T-T)



41 Series T-T 2-Line Phone with Membrane Keypad
(HA41T-T+)

T-T Features:

- **Two-Line Phone** – Selectable line-1 and line-2 with indicators
- **Water Resistant** – Water resistant, splash-proof design
- **Membrane Keypad** – smooth, water resistant, touch sensitive membrane dial pad (41T-T+ only)
- **Backlit Keypad** – Backlit keypad (membrane keypad models only)
- **No Hook-Switch** - No hook switch to prevent water ingress
- **Programmable Guest Service Keys** - Permanent one-touch memory keys
- **Easy Message Retrieval™** - Message Waiting Light, button and Ringer Indicator
- Flash, Pause, Redial buttons
- Hold buttons with indicator
- Desk and Wall Mountable

Models Available:

T-T	
HA41T-T	Two Line Trimline Phone for the Bathroom with No Hookswitch, Backlit Keypad, Message Waiting Light, Hold, Redial, Flash and ON/OFF.
HA41T-T+	Two Line Trimline Phone for the Bathroom with No Hookswitch, Backlit Membrane Keypad, Message Waiting Light, Hold, Redial, Flash and ON/OFF.

“T-0” Models



41Series T-0 1-Line Phone with LCD Clock
(HA48C++TSD-5S)



41 Series T-0 1-Line Phone with No Keypad
(48C++TSD-5S SIP)

T-0 Features:

- **No Handset** – Total “hands-free” communication at up to 5 metres distance
 - **Single-Line Phone**
 - **Water Resistant** – Water resistant, splash-proof design
 - **Membrane Keypad** – smooth, water resistant, touch sensitive membrane dial pad
 - **Speaker ON/OFF** – Speak / Hang-up speaker button
 - **SOS Emergency Service Key** – Programmable Permanent one-touch memory key
 - **Easy Message Retrieval™** - Message Waiting Light, button and Ringer Indicator
 - **Auto-Connect™** - Resets the phone to receive incoming calls even when call not disconnected
 - **Privacy Guard Redial™** - Last number dialled disappears after a defined time
 - **LCD Clock** – Accurate digital time display (41T-0+K only)
 - **Customised Faceplate** - optional
-
- Flash, Pause, Redial buttons
 - Hold buttons with indicator
 - 3-Step Volume Control

T-0	
HA41T-0	Single Line Trimline Phone for the Bathroom with No Handset, No Dialpad, One Guest Service Button, Hold and Speaker Button.
HA41T-0+	Single Line Trimline Phone for the Bathroom with No Handset, Membrane Dialpad, One Guest Service Button, Message Waiting Light, Hold and Speaker Button.
HA41T-0+K	Single Line Trimline Phone for the Bathroom with LCD Clock, No Handset, Membrane Dialpad, One Guest Service Button, Message Waiting Light, Hold and Speaker Button.

“T-18” Economy-line Model



41Series T-18 1-Line Phone
(HA48C++TSD-5S)



41 41Series T-18 1-Line Phone
(48C++TSD-5S SIP)

T-18 Features:

- **Single Line Phone**
- **Water Resistant** – Water resistant, splash-proof design
- **Rubber Keypad** – Backlit rubber keypad
- **No Hook-Switch** - No hook switch to prevent water ingress
- **Easy Message Retrieval™** - Message Waiting Light, button and Ringer Indicator
- **Single Line Phone**

- Flash, Pause, Redial buttons
- Desk and Wall Mountable

Available Models:

T-18	
HA41T-18	Single Line Trimline Phone with No Hookswitch, Backlit Keypad, Message Waiting Light, Hold, Redial, Flash and Pause.

Product Datasheet



“T-6” SIP (IP) Model



41Series T-6 SIP (IP) Caller Display and Clock Phone
(IPCID41T-6)



41Series T-6 SIP (IP) Caller Display and Clock Phone
(IPCID41T-6)

T-6 Features:

- **SIP (IP) Model** – Full compliance with SIP Protocols and Power-over-Ethernet (PoE) or Adaptor
- **LCD Caller Display and Clock** - Caller ID (CID) system no additional power required, includes Clock
- **Membrane Keypad** – smooth, water resistant, touch sensitive membrane dial pad (multi-colours optional)
- **Water Resistant** – Water resistant, splash-proof design
- **Backlit Keypad** – Backlit keypad
- **No Hook-Switch** - No hook switch to prevent water ingress
- **Easy Message Retrieval™** - Message Waiting Light, button and Ringer Indicator
- **Single Line Phone**
- **Software Configuration** – remote programming

- Flash, Mute, Redial, buttons
- Desk and Wall Mountable
- 3-Step Volume Control

Available Models:

T-6	
IPCID41T-6	Single Line Caller Display SIP Trimline Phone, Membrane Keypad, Redial, and Flash. PoE

Product Datasheet



Specifications:

Standard 41 Series Specifications	
Handset cord:	2.7m (Length)
Line cord:	1.0m and 0.12m
Color:	Ivory / Black
Handset:	Hearing Aid Compatible (HAC) Handset
Dial Character:	Standard 12 group (DTMF)
Message Waiting Light Voltage:	Standard 90~150V DC Customized various MWL card compatible with PBX
Operating Voltage:	24 ~ 60V DC
Quality Control:	ISO9001, ISO14001
Quality Approval:	CCC, FCC, CE, RoHS (FCC Part 15 & 68 compliant)
Package (set/carton):	10set/Carton

T5 Specifications	
Phone Dimensions:	22.5cm × 9cm
Weight:	580g
Flash time:	98ms, 300ms, 600ms optional, standard is 600ms
One-Touch Memory Key Programming:	No Guest Service Memory Keys
Box Dimensions:	41.5×39.5×26(cm)
Package (set/carton):	16set/Carton

T18 Specifications	
Phone Dimensions:	22.3cm × 6.8cm
Weight:	340g
Flash time:	98ms, 300ms, 600ms optional, standard is 600ms
One-Touch Memory Key Programming:	No Guest Service Memory Keys
Box Dimensions:	41.5×39.5×26(cm)
Package (set/carton):	16set/Carton

TT Specifications	
Phone Dimensions:	22.5cm × 9cm
Weight:	580g
Flash time:	98ms, 300ms, 600ms optional, standard is 600ms
One-Touch Memory Key Programming:	No Guest Service Memory Keys
Box Dimensions:	41.5×39.5×26(cm)
Package (set/carton):	16set/Carton

T0 Specifications	
Phone Dimensions:	22.5cm × 9cm
Weight:	320g
Flash time:	No Flash Key
One-Touch Memory Key Programming:	Hand-held Express Programming Device only
Box Dimensions:	41.5×39.5×26(cm)
Package (set/carton):	32set/Carton

Product Datasheet



T6 Specifications	
Phone Dimensions:	26.0cm × 9.3cm
Weight:	800g
Line Cord@	RJ45 Cable (568B 1.0m)
Flash time:	100ms to 1000ms optional, standard is 600ms
One-Touch Memory Key Programming:	No Guest Service Memory Keys
Message Waiting Light:	Message Waiting Light Voltage with SIP protocol
Box Dimensions:	41.5×37×29(cm)
Package (set/carton):	16set/Carton



Other Models:



41Series T-5 1-Line Phone with No Keypad, SOS Button
(HA41T-5+-1s)



41Series T-0 1-Line Phone with No Handset, SOS Button
(HA41T-0+)



41Series T-5 1-Line Phone with Standard Keypad
(HA41T-5)

Bittel Electronics (EU) Limited

50 Broadway
London SW1H 0RG
United Kingdom

Tel: +44(0)203 405 1200
Fax: +44(0)208 964 5886
Email: europe@bittelcom.com

www.bittelcom.eu